Page: 1/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

1 Identification

· Product identifier

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

· Recommended use and restriction on use

· Recommended use: Abrasives

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Harsco Corporation
Harsco Environmental
350 Poplar Church Road
Camp Hill, PA 17011
Phone: 717-763-7064
E-Mail: reedcs@harsco.com

· Emergency telephone number:

Emergency Contact: Verisk 3E

Emergency Phone: 855-393-9889 (Access Code: 13793) Manufacturer Contact: Customer Service Department Manufacturer Emergency Phone: 888-733-3646 ext. 2

2 Hazard(s) identification

· Classification of the substance or mixture

Classification references product both as delivered and as a fine dust generated during use.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Carc. 1B H350 May cause cancer. Route of exposure: Inhalation.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS05 GHS07 GHS08

· Signal word: Danger

· Hazard statements:

H318 Causes serious eye damage.

H315 Causes skin irritation.

H350 May cause cancer. Route of exposure: Inhalation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 1) · Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. P280 If on skin: Wash with plenty of soap and water. P302+P352 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P314 Get medical advice/attention if you feel unwell.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

•	Chemical characterization. Wixtures
	Components

· Componen	ts:							
60676-86-0	60676-86-0 Silica, fused							
1313-59-3	1313-59-3 Sodium oxide							
	Skin Corr. 1A, H314; Eye Dam. 1, H318							
1305-78-8		10-20%						
	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335							
1344-28-1		<5%						
	STOT RE 2, H373							
1309-37-1	Iron oxides (Includes CAS No.'s 1345-25-1 and 1309-38-2)	0.1-1%						
1309-48-4	Magnesium oxide	0.1-1%						
12136-45-7	Dipotassium oxide	0.1-1%						
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318							
14808-60-7	Quartz (SiO2)	<1%						
	Carc. 1A, H350							
13463-67-7	Titanium dioxide	<0.1%						
	Carc. 2, H351							
7440-43-9	cadmium (non-pyrophoric)	<0.001%						
	Acute Tox. 3, H301; Acute Tox. 2, H330 Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372							
7440-41-7		≤0.0005%						
	Acute Tox. 3, H301; Acute Tox. 2, H330							

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 2)

© Carc. 1B, H350; STOT RE 1, H372

Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a doctor.

After skin contact:

Brush off loose particles from skin.

Wash with soap and water.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Coughing

Breathing difficulty

Mechanical irritation to eyes and skin.

Strong irritant with the danger of severe eye injury.

Irritating to respiratory system and skin.

Danger:

Danger of impaired breathing.

Causes serious eye damage.

May cause cancer. Route of exposure: Inhalation.

May cause damage to organs. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

Wear fully protective suit.

(Cont'd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Isolate area and prevent access.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Sweep up and place into an appropriate container.

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- · Precautions for safe handling: Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Do not store together with acids.

Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

60676-86-0 Silica, fused

PEL (USA) 20mppcf or 80mg/m3 /%SiO2

TLV (USA) TLV withdrawn

EV (Canada) Long-term value: 0.1 mg/m³

respirable

LMPE (Mexico) Long-term value: 0.1 mg/m³

(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

	(Co	ont'd. of page 4)							
	(j)								
1305-78-8 Calci	1305-78-8 Calcium oxide								
PEL (USA)	Long-term value: 5 mg/m ³								
REL (USA)	Long-term value: 2 mg/m ³								
TLV (USA)	Long-term value: 2 mg/m ³								
EL (Canada)	Long-term value: 2 mg/m ³								
EV (Canada)	Long-term value: 2 mg/m ³								
LMPE (Mexico)	Long-term value: 2 mg/m ³								
1344-28-1 Alum	ninum oxide								
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction								
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.								
TLV (USA)	Long-term value: 1* mg/m³ as AI; *as respirable fraction								
EL (Canada)	Long-term value: 1.0 mg/m³ respirable, as Al								
EV (Canada)	Long-term value: 10 mg/m ³ total dust								
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable								
14808-60-7 Qua	artz (SiO2)								
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2								
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A								
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction								
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1								
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction								
,	Long-term value: 0.025* mg/m³ A2, *fracción respirable								
1309-37-1 Iron	oxides (Includes CAS No.'s 1345-25-1 and 1309-38-2)								
PEL (USA)	Long-term value: 10* mg/m³ *Fume								
REL (USA)	Long-term value: 5 mg/m³ Dust & fume, as Fe								
TLV (USA)	Long-term value: 5* mg/m³ *as respirable fraction								
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 5* 10*** 3**** mg/m³ *dust & fume**fume; Rouge: ***total dust****resp.								
	(Cor	nt'd. on page 6)							

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

	(0 111 (5)
EV (Canada)	Long-term value: 5* 10** mg/m³ (Cont'd. of page 5)
LV (Gariada)	*respirable, including Rouge;**total dust
I MPF (Mexico)	Long-term value: 5* mg/m³
LIVII L (IVIOXIOO)	A4, *fracción respirable
1309-48-4 Magi	·
PEL (USA)	Long-term value: 15* mg/m³
	fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m³
	*as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m³
	Long-term value: 10* 3** mg/m³
	*inhalable fume;**respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m ³
	inhalable
LMPE (Mexico)	Long-term value: 10* mg/m³
	A4, *fracción respirable
13463-67-7 Tita	inium dioxide
PEL (USA)	Long-term value: 15* mg/m³
	*total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10* 3** mg/m³
	*total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m³
	total dust
LMPE (Mexico)	Long-term value: 10 mg/m ³
	A4

· Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Suitable respiratory protective device recommended.

A NIOSH approved dust respirator should be used for operations generating dust.

Protection of hands:



Protective gloves

Wear gloves for protection against thermal and mechanical hazards according to OSHA and NIOSH rules.

Eye protection:

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 6)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

9 Physical and chemical properties								
Information on basic physical and chemical properties Appearance:								
Form: Color: Odor: Odor threshold:	Granular or powdered solid. According to product specification Odorless Not determined. Not applicable. Not determined. Not determined. Not determined.							
pH-value:Melting point/Melting range:Boiling point/Boiling range:								
· Flash point:	The product is not flammable.							
· Flammability (solid, gaseous):	Not determined.							
· Auto-ignition temperature:	Not determined.							
Decomposition temperature:	Not determined.							
· Danger of explosion:	Product does not present an explosion hazard.							
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Non-oxidizing.							
· Vapor pressure:	Not determined.							
Density:Relative density:Vapor density:Evaporation rate:	2.5 g/cm³ (20.86 lbs/gal) Not determined. Not applicable. Not applicable.							
· Solubility in / Miscibility with Water:	Insoluble.							
Partition coefficient (n-octanol/water)	: Not determined.							
 · Viscosity Dynamic: Kinematic: · Other information 	Not applicable. Not applicable. No relevant information available.							

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 7)

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with hydrogen fluoride / hydrofluoric acid.
- Conditions to avoid No relevant information available.
- · **Incompatible materials** No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Possible in traces.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (Inter	national Agency for Research on Cancer):	
14808-60-7	1	
1309-37-1	Iron oxides (Includes CAS No.'s 1345-25-1 and 1309-38-2)	3
13463-67-7	Titanium dioxide	2B
7440-43-9	cadmium (non-pyrophoric)	1
7440-41-7	beryllium	1
60676-86-0	Silica, fused	3
· NTP (Natio	nal Toxicology Program):	<u> </u>
14808-60-7	Quartz (SiO2)	K
7440-43-9	cadmium (non-pyrophoric)	K
7440-41-7	beryllium	K
· OSHA-Ca (Occupational Safety & Health Administration):	1
7440-43-9	cadmium (non-pyrophoric)	

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Irritating to respiratory system and skin.

- · Repeated dose toxicity: Possible risk of irreversible effects.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 9)

Page: 9/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 8)

- · Carcinogenicity: May cause cancer. Route of exposure: Inhalation.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards	Not applicable.	
		(Cont'd. on page 10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 9)

· Special precautions for user

Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

- Section 313 (Specific toxic chemical listings):

1344-28-1 Aluminum oxide

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

•	C	ŗ	ıe	r	n	IC	al	S	knc	own	to	cause	canc	er:

14808-60-7 Quartz (SiO2) 13463-67-7 Titanium dioxide

7440-43-9 cadmium (non-pyrophoric)

7440-41-7 beryllium

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

7440-43-9 cadmium (non-pyrophoric)

· Chemicals known to cause developmental toxicity:

7440-43-9 cadmium (non-pyrophoric)

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

	Silica, fused	3				
14808-60-7	Quartz (SiO2)	1				
1309-37-1	Iron oxides (Includes CAS No.'s 1345-25-1 and 1309-38-2)	3				
13463-67-7	Titanium dioxide	2B				
7440-43-9	cadmium (non-pyrophoric)	1				
7440-41-7	beryllium	1				
Consider Demostic Substances List (DSL):						

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

Page: 11/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 05, 2020

Trade name: BLACK BEAUTY® GLASS AND BRIGHTLINE® FILTER MEDIA

(Cont'd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 1A: Carcinogenicity – Category 1A

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers